

Code : W2005

ABS Frame, Hollow(Small size 180mm)



W2005-S162WW/WHT

AC12V, 18W, 3000K/6400K, 162pcs SMD2835 LED



W2005-S162RGB

AC12V, 10W, RGB, 162pcs SMD2835 LED



BRT006

For Concrete Pool



BRT007



For Liner Pool
For Fiberglass Pool
For Stainless steel Pool

Code : W4004

Stainless Steel 316L Frame, Hollow(Small size 180mm)




For Concrete Pool



146.7mm

iPhone 12



Specification

Code	Vol.	Power	Color	Lumens	LED Type	Control
W2005	-S108WHT	AC12V	6W	6400K	660lm	108pcs SMD2835 --
	-S162WHT	AC12V	10W	6400K	1100lm	162pcs SMD2835 --
W4004	-S108WW	AC12V	6W	3000K	600lm	108pcs SMD2835 --
	-S162WW	AC12V	10W	3000K	1000lm	162pcs SMD2835 --
	-S108RGB	AC12V	6W	RGB	330lm	108pcs SMD2835 ON/OFF
	-S162RGB	AC12V	10W	RGB	550lm	162pcs SMD2835 ON/OFF

Code : W4002



ABS+Stainless Steel 316L Frame, Hollow(Size 225mm)



W4002-S252RGB

AC12V, 18W, RGB, 252pcs SMD2835
LEDON/OFF Control




W4002-S252WHT

AC12V, 18W, 6400K
252pcs SMD2835 LED



W4002-S252WW

AC12V, 18W, 3000K
252pcs SMD2835 LED



Specification

Code	Vol.	Power	Color	Lumens	LED Type	Control
W4002-S180WHT	AC12V	12W	6400K	1320lm	180pcs SMD2835	--
W4002-S252WHT	AC12V	18W	6400K	1980lm	252pcs SMD2835	--
W4002-S180WW	AC12V	12W	3000K	1200lm	180pcs SMD2835	--
W4002-S252WHT	AC12V	18W	3000K	1800lm	252pcs SMD2835	--
W4002-S180RGB(R15)	AC12V	12W	RGB	660lm	180pcs SMD2835	ON/OFF & Remote
W4002-S252RGB(R15)	AC12V	18W	RGB	990lm	252pcs SMD2835	ON/OFF & Remote

For Concrete Pool

Code : W4005

Stainless Steel 316L Frame, Hollow(Big Size 240mm)



W4005-S252RGB

AC12V, 18W, RGB, 252pcs SMD2835 LED




BRT005

BACK



SIZE



Bracket BRT005
Suit for concrete pool



W4005-S252WW

AC12V, 18W, 3000K
252pcs SMD2835 LED



W4005-S441WHT

AC12V, 32W, 6400K
441pcs SMD2835 LED

Specification

Code	Vol.	Power	Color	Lumens	LED Type	Control
W4005-S252WHT	AC12V	18W	6400K	1980lm	252pcs SMD2835	--
W4005-S351WHT	AC12V	25W	6400K	2750lm	351pcs SMD2835	--
W4005-S441WHT	AC12V	32W	6400K	3520lm	441pcs SMD2835	--
W4005-S513WHT	AC12V	40W	6400K	4400lm	513pcs SMD2835	--
W4005-S252WW	AC12V	18W	3000K	1800lm	252pcs SMD2835	--
W4005-S351WW	AC12V	25W	3000K	2500lm	351pcs SMD2835	--
W4005-S441WW	AC12V	32W	3000K	3200lm	441pcs SMD2835	--
W4005-S513WW	AC12V	40W	3000K	4000lm	513pcs SMD2835	--
W4005-S252RGB(R15)	AC12V	18W	RGB	990lm	252pcs SMD2835	ON/OFF & Remote
W4005-S351RGB(R15)	AC12V	25W	RGB	1370lm	351pcs SMD2835	ON/OFF & Remote
W4005-S441RGB(R15)	AC12V	32W	RGB	1760lm	441pcs SMD2835	ON/OFF & Remote
W4005-S513RGB(R15)	AC12V	40W	RGB	2200lm	513pcs SMD2835	ON/OFF & Remote

Code : W4006




Stainless Steel 316L Frame, Hollow(Big Size 250mm)



BACK

SIZE



Without Bracket
Suit for concrete pool

W4006 SS316L, housing thickness is 2.0mm. More stronger.
No bracket, easy installation.
More closely to the wall.



Specification

Code	Vol.	Power	Color	Lumens	LED Type	Control
W4006-S252WHT	AC12V	18W	6400K	1980lm	252pcs SMD2835	--
W4006-S351WHT	AC12V	25W	6400K	2750lm	351pcs SMD2835	--
W4006-S441WHT	AC12V	32W	6400K	3520lm	441pcs SMD2835	--
W4006-S513WHT	AC12V	40W	6400K	4400lm	513pcs SMD2835	--
W4006-S252WW	AC12V	18W	3000K	1800lm	252pcs SMD2835	--
W4006-S351WW	AC12V	25W	3000K	2500lm	351pcs SMD2835	--
W4006-S441WW	AC12V	32W	3000K	3200lm	441pcs SMD2835	--
W4006-S513WW	AC12V	40W	3000K	4000lm	513pcs SMD2835	--
W4006-S252RGB(R15)	AC12V	18W	RGB	990lm	252pcs SMD2835	ON/OFF & Remote
W4006-S351RGB(R15)	AC12V	25W	RGB	1370lm	351pcs SMD2835	ON/OFF & Remote
W4006-S441RGB(R15)	AC12V	32W	RGB	1760lm	441pcs SMD2835	ON/OFF & Remote
W4006-S513RGB(R15)	AC12V	40W	RGB	2200lm	513pcs SMD2835	ON/OFF & Remote

1.5 inch pool light

Code : W2007 / W4009



ABS frame / Stainless Steel 316L Frame



W2007-S135RGB
AC12V, 8W, RGB, 135pcs SMD2835 LED



W4009-S135WHT
AC12V, 8W, 6400K, 135pcs SMD2835 LED



Liner/Fiberglass Pool

Concrete Pool



Specification

Code	Vol.	Power	Color	Lumens	LED Type	Control
W2007	-S108WHT	AC12V	6W	6400K	660lm	108pcs SMD2835 --
	-S135WHT	AC12V	8W	6400K	880lm	135pcs SMD2835 --
	-S108WW	AC12V	6W	3000K	600lm	108pcs SMD2835 --
W4009	-S135WW	AC12V	8W	3000K	800lm	135pcs SMD2835 --
	-S108RGB	AC12V	6W	RGB	330lm	108pcs SMD2835 ON/OFF
	-S135RGB	AC12V	8W	RGB	440lm	135pcs SMD2835 ON/OFF

1.5 inch pool light

Code : W2002/W2003/W4005




W2003V-S252RGB

AC12V, 18W, RGB, 252pcs SMD2835 LED
ON/OFF Control




1.5 inch inlet




Specification

Code	Vol.	Power	Color	Lumens	LED Type	Control	
W2001V	-S252WHT	AC12V	18W	6400K	1980lm	252pcs SMD2835	--
	-S351WHT	AC12V	25W	6400K	2750lm	351pcs SMD2835	--
	-S441WHT	AC12V	32W	6400K	3520lm	441pcs SMD2835	--
W2002V	-S513WHT	AC12V	40W	6400K	4400lm	513pcs SMD2835	--
	-S252WW	AC12V	18W	3000K	1800lm	252pcs SMD2835	--
	-S351WW	AC12V	25W	3000K	2500lm	351pcs SMD2835	--
W2003V	-S441WW	AC12V	32W	3000K	3200lm	441pcs SMD2835	--
	-S513WW	AC12V	40W	3000K	4000lm	513pcs SMD2835	--
	-S252RGB(R15)	AC12V	18W	RGB	990lm	252pcs SMD2835	ON/OFF & Remote
W4005V	-S351RGB(R15)	AC12V	25W	RGB	1370lm	351pcs SMD2835	ON/OFF & Remote
	-S441RGB(R15)	AC12V	32W	RGB	1760lm	441pcs SMD2835	ON/OFF & Remote
	-S513RGB(R15)	AC12V	40W	RGB	2200lm	513pcs SMD2835	ON/OFF & Remote


Installation



Concrete pool



Liner/Fiberglass pool



Concrete+Liner pool

2.0 inch pool light (for concrete pool)

Code : W2001C/W2002C/W2003C/W4005C

**INNOVATION
Product**



W2003V-S252WGB

AC12V, 18W, WGB. 252pcs SMD2835 LED. ON/OFF Control



2.0 inch concrete pipe

Specification

Code	Vol.	Power	Color	Lumens	LED Type	Control
W2001C	-S252WHT	AC12V	18W	6400K	1980lm	252pcs SMD2835 --
	-S351WHT	AC12V	25W	6400K	2750lm	351pcs SMD2835 --
	-S441WHT	AC12V	32W	6400K	3520lm	441pcs SMD2835 --
W2002C	-S513WHT	AC12V	40W	6400K	4400lm	513pcs SMD2835 --
	-S252WW	AC12V	18W	3000K	1800lm	252pcs SMD2835 --
	-S351WW	AC12V	25W	3000K	2500lm	351pcs SMD2835 --
W2003C	-S441WW	AC12V	32W	3000K	3200lm	441pcs SMD2835 --
	-S513WW	AC12V	40W	3000K	4000lm	513pcs SMD2835 --
	-S252RGB(R15)	AC12V	18W	RGB	990lm	252pcs SMD2835 ON/OFF & Remote
W4005C	-S351RGB(R15)	AC12V	25W	RGB	1370lm	351pcs SMD2835 ON/OFF & Remote
	-S441RGB(R15)	AC12V	32W	RGB	1760lm	441pcs SMD2835 ON/OFF & Remote
	-S513RGB(R15)	AC12V	40W	RGB	2200lm	513pcs SMD2835 ON/OFF & Remote

2.0 inch pool light (for fiberglass pool)

Code : W2001V/W2002V/W2003V/W4005V



W2002V



W2001V



W2003V



W4005V

W2003V 2.0inch Pool Light Installation-Liner / Fiberglass Pool



1 Open a hole(Dia 60mm) on the Liner/Fiberglass


2 Put the silicon O-ring on the Liner/Fiberglass

3 Put the light in the hole

4 Fasten the light on the Liner/Fiberglass with the ABS nut.

Fiberglass pool

Size



Specification

Code	Vol.	Power	Color	Lumens	LED Type	Control
W2001V	-S252WHT	AC12V	18W	6400K	1980lm	252pcs SMD2835 --
	-S351WHT	AC12V	25W	6400K	2750lm	351pcs SMD2835 --
	-S441WHT	AC12V	32W	6400K	3520lm	441pcs SMD2835 --
W2002V	-S513WHT	AC12V	40W	6400K	4400lm	513pcs SMD2835 --
	-S252WW	AC12V	18W	3000K	1800lm	252pcs SMD2835 --
	-S351WW	AC12V	25W	3000K	2500lm	351pcs SMD2835 --
W2003V	-S441WW	AC12V	32W	3000K	3200lm	441pcs SMD2835 --
	-S513WW	AC12V	40W	3000K	4000lm	513pcs SMD2835 --
	-S252RGB(R15)	AC12V	18W	RGB	990lm	252pcs SMD2835 ON/OFF & Remote
W4005V	-S351RGB(R15)	AC12V	25W	RGB	1370lm	351pcs SMD2835 ON/OFF & Remote
	-S441RGB(R15)	AC12V	32W	RGB	1760lm	441pcs SMD2835 ON/OFF & Remote
	-S513RGB(R15)	AC12V	40W	RGB	2200lm	513pcs SMD2835 ON/OFF & Remote

MINI POOL LIGHT

for SPA or Pool Step



Code : M1001

ABS + PC cover




3000K



6400K



RGB



Code : M2001

Stainless Steel + Tempered Glass cover




3000K



6400K



RGB



SS304 & SS316L

are available supplied



Suit for concrete / liner / fiberglass / stainless steel pool

Specification


Code	Vol.	Power	Color	Lumens	LED Type	Control	
M1001 M1001V	-S36WHT	AC12V	3W	6400K	330lm	36pcs SMD2835	--
	-S36WW	AC12V	3W	3000K	300lm	36pcs SMD2835	--
M2001 M2001V	-S36RGB	AC12V	3W	RGB	160lm	36pcs SMD2835	ON/OFF

Code : M1003 1.5 inch light



M1003-S3RGB


AC12V, 18W, RGB, 3pcs SMD3535 LED
ON/OFF Control



Installation



The light can be installed in 1.5 inch inlet. suits for fiberglass pool and concrete pool.. Screwing in the 1.5 inch thread, without the bracket.



Fiberglass pool





Concrete pool

Stainless Steel Underwater Light for Landscape

Code : U1001

Stainless Steel 304 + Tempered Glass



Suit for concrete pool


Specification

 High Power (1w/2w/3W)

Code	Vol.	Power	Color	Lumens	LED Type	Control
U1001-H1WHT	AC12V	1W	6400K	110lm	1pc 1W	--
U1001-H3WHT	AC12V	3W	6400K	330lm	1pc 3W	--
U1001-H1WW	AC12V	1W	3000K	100lm	1pc 1W	--
U1001-H3WW	AC12V	3W	3000K	300lm	1pc 3W	--
U1001-H1RGB	AC12V	1W	RGB	55lm	1pc 1W	ON/OFF
U1001-H3RGB	AC12V	3W	RGB	165lm	1pc 3W	ON/OFF

Code : U1002

Stainless Steel 304 + Tempered Glass



Suit for concrete pool


Specification

High Power (1w/2w/3W)

Code	Vol.	Power	Color	Lumens	LED Type	Control
U1002-H3WHT	AC12V	3W	6400K	330lm	3pcs 1W	--
U1002-H5WHT	AC12V	5W	6400K	550lm	3pcs 2W	--
U1002-H3WW	AC12V	3W	3000K	300lm	3pcs 1W	--
U1002-H5WW	AC12V	5W	3000K	500lm	3pcs 2W	--
U1002-H3RGB	AC12V	3W	RGB	160lm	3pcs 1W	ON/OFF
U1002-H5RGB	AC12V	5W	RGB	280lm	3pcs 2W	ON/OFF

Code : U1003

Stainless Steel 304 + Tempered Glass



Suit for concrete pool

Specification

High Power (1w/2w/3W)

Code	Vol.	Power	Color	Lumens	LED Type	Control
U1003-H6WHT	AC12V	6W	6400K	660lm	6pcs 1W	--
U1003-H9WHT	AC12V	9W	6400K	990lm	6pcs 2W	--
U1003-H6WW	AC12V	6W	3000K	600lm	6pcs 1W	--
U1003-H9WW	AC12V	9W	3000K	900lm	6pcs 2W	--
U1003-H6RGB	AC12V	6W	RGB	330lm	6pcs 1W	ON/OFF
U1003-H9RGB	AC12V	9W	RGB	490lm	6pcs 2W	ON/OFF